8800144

THE UNITED STRAILS OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Northrup King Co.

Talkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S). AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT LAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S21-98'

In Sestimony Wherevot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of November in the year of our Lord one thousand nine hundred and eighty-eight.

Viela of E, Lyng Secretary of Agriculture

de

Kennett Alwans

Commissioner

Plant Variety Protection Office Agricultural Marketing Service

lural Markeling Tervice

U.S. DEPARTME AGRICULTURAL	FORM APPROVED: OMB NO, 0681-0065 Application is required in order to determine			
APPLICATION FOR PLANT VAI	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).			
1. NAME OF APPLICANT(S)	3. VARIETY NAME			
Northrup King Co.		x720, W118141	S21-98	
4. ADDRESS (Street and No. or R.F.D. No., City, S	State, and Zip Code		FOR OFFICIAL USE ONLY	
			PVPO NUMBER	
P. O. Box 959		612-593-7333	8800144	
Minneapolis, MN 55440 6. GENUS AND SPECIES NAME	7. FAMILY NA	NE (Bassical)	DATE	
	7. 7.	WE SOUTHERN	Thay 5, 1988	
Glycine Max	Legumin	osae	- /;30A.M. UP.M.	
8. KIND NAME	9.	DATE OF DETERMINATION	AMOUNT FOR FILING	
Soybean	Soybean March, 1987			
10. IF THE APPLICANT NAMED IS NOT A "PERS partnership, association, etc.)	DATE They 5 1988 AMOUNT FOR CERTIFICATE S 200			
Corporation		·	Oct. 24,1988	
11. IF INCORPORATED, GIVE STATE OF INCOR	PORATION		12. DATE OF INCORPORATION	
Delaware 13. NAME AND ADDRESS OF APPLICANT REPR			1986	
Robert W. Romig Northrup King Co. P. O. Box 959 Minneapolis, MN 55440 A CHECK APPROPRIATE BOX FOR EACH ATT.	ACHMENT SURMI		area codel: 612-593-7305	
a. A Exhibit A, Origin and Breeding History b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Vari d. Exhibit D, Additional Description of Vari	iety (Request form wiety.	from Plant Variety Protection Oj		
c. Exhibit E, Statement of the Basis of Ap 5. DOES THE APPLICANT(S) SPECIFY THAT SE	ED OF THIS VAR	ETY BE SOLD BY VARIETY NA	ME ONLY AS A CLASS OF CERTIFIED	
SEED? (See Section 83(a) of the Plant Variety I	Protection Act.)	Yes (If "Yes," answ	er items 16 and 17 below) X N	
6. DOES THE APPLICANTIS) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS		17. IF "YES" TO ITEM 16 BEYOND BREEDERS	_	
Yes No		Foundation	Registered Certified	
B. DID THE APPLICANT(S) PREVIOUSLY FIL	E FOR PROTECT	ON OF THE VARIETY IN THE	Yes (If "Yes," give date	
			X No	
9. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALE	OR MARKETED IN THE U.S. C	OR OTHER COUNTRIES? Yes (If "Yes," give nort of countries and dates)	
			X No	
The applicant(s) declare(s) that a viable samplenished upon request in accordance with	such regulations :	is may be applicable.		
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Statistics Protection Act.	Section 41, and is	entitled to protection under t	the provisions of Section 42 of the Com-	
Applicant(s) is (are) informed that false rep	resentation herei	n can jeopardize protection an		
IGNATURE OF APPLICANT	•		May 3, 1988	
IGNATURE OF APPLICANT	<u>~</u>		DATE	
The second secon				

EXHIBIT A

Origin and Breeding History of the Variety

- The Northrup King soybean research group at Washington, Iowa made a cross between 'S2596' and an F₄ population from the cross 'S1492' (4) x 'Tracy' carrying the Rps 15 and Rps 3 genes for resistance to Phytophthora megasperma.
- 1978-79 We grew the ${\bf F}_1$ population at the Northrup King research center near Waimea, Kauai, Hawaii and made one backcross to S2596.
- 1979-80- We grew the backcross F₁ population and tested each plant for resistance to Phytophthora by inoculating detached cotyledons with a mixture of Races 2, 3, and 6. Only one resistant F₁ plant was saved. We advanced the seed from this plant to F₄ and in September, 1980, harvested 100 random plants and threshed them individually.
- 1981 We grew each of the 100 plant selections in an F_5 progeny row. One of these, numbered W118141, was selected based on agronomic appearance to be tested in a preliminary yield trial. This line was subsequently numbered S21-98.
- 1982-85 We tested S21-98 in replicated yield trials at several midwestern and Canadian locations and found it to yield well in comparison to other late Group I and early Group II varieties. We tested S21-98 for reaction to Phytophthora and found it to be resistant to Races 1, 2, 3 and 4, but susceptible to Race 7. This is consistant with the expected reaction for the Rps 3 gene.

We identified and confirmed the descriptive characteristics purple flowers, tawny pubescence, tan pods, brown hila, and shiny seed coat luster. We tested S21-98 for reaction to iron-deficiency chlorosis on calcareous soil in Northwest Iowa and found it to have an intermediate reaction.

In 1985 we initiated seed increase from 500 grams of carefully hand rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform.

1986-87 - We continued to test S21-98 in advanced yield trials to confirm descriptive characteristics and performance.

We grew Breeder Seed of S21-98 in 1986 from the initial increase made in 1985. The field was rogued several times. We produced Foundation Seed of S21-98 in 1987. The Iowa Crop Improvement Association inspected the production field and found it to meet the standards for Foundation Seed. S21-98 was approved for eligibility for Certification by the National Soybean Variety Review Board on December 10, 1987.

S21-98 is a stable and uniform soybean variety. We have observed no variants in six years of testing and three years of seed increase other than minor, environmentally induced variation normally encountered in a soybean variety.

We will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B

Novelty Statement for the Variety

Soybean variety S21-98 is most similar to S2596. It can be differentiated from S2596 on the basis of reaction to Races 1, 2, 3, and 4 of Phytophthora megasperma. S21-98 is resistant; S2596 is susceptible.

EXHIBIT C (Soybean)

Page 1 of 4

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYBE	AN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Co.	X720, W118141	S21-98
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co.	l de)	FOR OFFICIAL USE ONLY
P. O. Box 959		PVPO NUMBER
Minneapolis, MN 55440		8800144
Choose the appropriate response which characterizes the vain your answer is fewer than the number of boxes provided Starred characters * are considered fundamental to an adeq when information is available.	, place a zero in the first box w	hen number is 9 or less (e a 0 9)
1. SEED SHAPE:		
2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	T 2 = Spherical Flattened (4 = Elongate Flattened (1	L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	The second of th	<u>and a second of an experience of the second of the second</u>
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
Grams per 100 seeds		energy and the second s
5. HILUM COLOR: (Mature Seed)	and the second of the second	
3 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	······································	
1 = Yellow 2 = Green	en de la companya de	en general de la companya de la comp
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High	and the second s	Marine the Marine Annual Control of the Control of
3. SEED PROTEIN ELECTROPHORETIC BAND:		
2 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	e 1 Merchanis de la compansión de la compa	
HYPOCOTYL COLOR:		· · · · · · · · · · · · · · · · · · ·
1 = Green only ('Evans'; 'Davis') 2 = Green with I 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	oronze band below cotyledons ("Wooker Hampton 266A")	
LEAFLET SHAPE:	•	
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other <i>(Specify)</i>	·

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11,	LEAF	LET SIZE:	
:		1 = Small ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
4.		3 = Large ('Crawford'; 'Tracy')	en e
		en e	es a la figura de Maria de Maria.
12.	LEAF	COLOR: Provide the Color of the Provide the Color of the	engeren. Benanne benanne kan terretaria era eta era eta era eta eta era eta era eta eta eta eta eta eta eta eta eta et
	2	1 = Light Green ('Weber'; 'York')	2 = Medium Green ('Corsoy 79'; 'Braxton')
	لسنيا	3 = Dark Green ('Gnome'; 'Tracy')	and the control of th
13.	FLOW	ER COLOR:	
	ا کا	1 = White 2 = Purple 3	■ White with purple throat • The second of the
14	POD C	COLOR:	
	1	1 = Tan 2 = Brown 3 = B	lack
15.	PLAN	T PUBESCENCE COLOR:	
		1 = Gray 2 = Brown (Tawny)	
	2	2 - blown () awily)	and the second of the second o
16.	PLANT	T TYPES:	
		1 = Slender ('Essex'; 'Amsoy 71')	2 = Intermediate ('Amcor'; 'Braxton')
	3	3 = Bushy ('Gnome'; 'Govan')	
17.	PLANT	r HABIT:	
	3		2 = Semi-Determinate ('Will')
	L	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18.	MATU	RITY GROUP:	
	······		
L	5	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	4 = I 5 = II 6 = III 7 = IV 8 = V 12 = IX 13 = X
19.	DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)
	BACT	ERIAL DISEASES:	and the first of the property of the second second
*	\Box	Bacterial Pustule (Xanthomonas phaseoli var. sojer	
	=		15/5/
*		Bacterial Blight (Pseudomonas glycinea)	
*		Wildfire (Pseudomonas tabaci)	
			그는 사람들은 사람들이 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들이 되었다.
	FUNG/	AL DISEASES:	
*	FUNGA		
*	1	Brown Spot (Septoria glycines)	
*			
* *		Brown Spot (Septoria glycines)	Race 4 Race 5 Other (Specify)
* *.		Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	Race 4 Race 5 Other (Specify)
*		Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Target Spot (Corynespora cassiicola)	
*		Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. mans	hurica)
*		Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Target Spot (Corynespora cassiicola)	
* *		Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. mans	hurica)

19.	DISEA	SE REACT	ON: (Enter 0 = Not	Tested; 1 = Susceptib	le; 2 = Resistant) (Continue	d)** ** * * * * * * *	and the second	and the second of the second o
	FUN	IGAL DISEA	ASES: (Continued)					44
*	1	Pod and S	tem Blight <i>(Diaporth</i>	e phaseolorum var; so,	jae)			at .
	1	Purple See	ed Stain (Cercospora i	kikuchii)				
		Rhizocton	ia Root Rot <i>(Rhizoc</i>	tonia solani)				
*		Phytophth	ora Rot <i>(Phytophtho</i>	ora megasperma var. so	ojae)			
*	2	Race 1	2 Race 2	2 Race 3	2 Race 4 2	Race 5	Race 6	Race 7
	2	Race 8	2 Race 9	Other (Speci	ify)			
	VIRA	L DISEASE	s:					•
	1	Bud Blight	(Tobacco Ringspot \	/irus)		•		
,		Yellow Mo	saic (Bean Yellow Mo	saic Virus)			•	
*		Cowpea Mo	saic (Cowpea Chloro	tic Virus)				
		Pod Mottie	(Bean Pod Mottle Vi	rus)			•	
*	1	Seed Mottle	(Soybean Mosaic Vi	rus)		•		
•	NEMA	TODE DISE	ASES:					
		Soybean Cy	st Nematode <i>(Hetero</i>	dera glycines)			•	
*	1	Race 1	1 Race 2	1 Race 3	1 Race 4	Other (Specify)		
.,		Lance Nema	tode <i>(Hoplolaimus C</i>	olombus)				•
*		Southern Ro	oot Knot Nematode (Meloidogyne incognit	a)			
*		Northern Ro	ot Knot Nematode (Meloidogyne Hapla)				
	<u> </u>	Peanut Root	Knot Nematode (Me	loidogyne arenaria)				
Ī	=	Reniform Ne	matode (Rotylenchu	lus reniformis)				
Ĭ	=	OTHER DIS	EASE NOT ON FOR	M (Specify):		·		
<u> </u>								· · · · · · · · · · · · · · · · · · ·
. !	_			= Not Tested; 1 = Su	sceptible; 2 = Resistant)	٠	÷	
★ [<u> </u>	ron Chlorosi	s on Calcareous Soil				÷ .	
L	0	ther <i>(Specif</i>	y)		Secret Secret Land Care Secret Secret			
21. IN:	SECT R	EACTION:	(Enter 0 = Not Teste	ed; 1 = Susceptible; 2	= Resistant)			
Ļ		lexican Bean	Beetle (Epilachna va		en e			
Ĺ	Po	otato Leaf H	opper (Empoasca fal	pae)				
. 0	. J • 9;	ther <i>(Specif</i>)	/) <u></u>	The second secon	tangasin a tugasitinga			
2. INC	CATE	WHICH VA	RIETY MOST CLOS	SELY RESEMBLES T	HAT SUBMITTED.	<u> </u>	<u>an an a</u>	de transcription de la description de la company
G	HARAC	TER	NAME	OF VARIETY	CHARACTER		NAME OF VAR	ETY
Plan	t Shape		S2596		Seed Coat Luster	S2	596	
Leaf	Shape		Corsoy 79		Seed Size		596	
	Color		S2596		Seed Shape	S2	596) 1
	Size		Corsoy 79		Seedling Pigmentat		rsoy 79	Section 1

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	123	2.1	81	5.1	9.3	43.0	20.8	18.3	2-3
Corsoy 79 Name of Similar Variety	124	3.1	97	5.3	9.8	42.8	20.2	13.7	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



EXHIBIT D

Additional Description of the Variety

Soybean variety S21-98 is an early Maturity Group II cultivar maturing one day earlier than Corsoy 79. It exhibits short hypocotyl reaction when grown in 11 cm of sand at 25° c for 14 days.

EXHIBIT E

Statement of the Basis of Applicant's Ownership

Soybean variety S21-98 was developed by the Northrup King Company soybean breeding staff from germplasm sources cited in Exhibit A of this application.

Northrup King Company believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that Northrup King is the sole owner of the variety.